

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: 07/05/05

DATE : 6-27-2005

TO SPE OF : ART UNIT 2872

SUBJECT : Request for Certificate of Correction on Patent No.: 6,870,695 10/734,058

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location 7580, Certificates of Correction Branch – South Tower – 9A22

If response is for an IFW, return to employee (named below) via PUBSCofC Team in MADRAS.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Thank You For Your Assistance

Certificates of Correction Branch
Tel. No. 703-308-9309 ext. 116

MAGDALENE TALLEY

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☐ Approved

All changes apply.

☒ Approved in PartSpecify below which changes do not apply. *Not*☐ Denied

State the reasons for denial below.

Comments: According to approved Examiner's Amendment;

- 1) Col 3, line 28: After "disposed", delete "between the window and" and insert - outside -
- 2) Col 4, line 8: After "path", delete "between the window and" and insert - outside -
- 3) Col 4, lines 31, 35: delete "arcomat", insert - achromat -

Drew A. Dunn
DREW A. DUNN
SUPERVISORY PATENT EXAMINER

2872

Art Unit

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,870,695 B2

DATED : March 22, 2005

INVENTOR(S) : Joseph B. Slater and Kevin L. Davis

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 28, after the word disposed delete "between the window", and insert --outside--.

Column 4, line 8, after the word path delete "between the window", and insert --outside--.

Column 4, lines 31 and 35 delete "arcomat", insert --achromat--.

for correct changes, see Comments section
LB

MAILING ADDRESS OF SENDER: John G. Posa, Reg. No. 37,424
Gifford, Krass et al.
2701 Troy Center Drive, Suite 330
P.O. Box 7021
Troy, MI 48007-7021

PATENT NO. 6,870,695

No. of additional copies

